

PRE-INCIDENT SURVEY

6/18/11 1:50 PM

Building Name: Triumph Baptist Church Survey #: 24Street Address: 7874 US 264 ~~W~~ ECity, State, Zip: Washington NC 27889Primary Use: Church Construction Type: _____

Possible Entry: _____

Possible Occupancy: A.M. _____ P.M. _____

Known Handicapped Personnel: _____

NOTIFY IN CASE OF EMERGENCY

Name: Ernestine & Denice Moore Name: _____Phone: 975-6944 Phone: _____

BUILDING CONSTRUCTION

Roof Type: Shingle Floor Construction: SlabRoof Construction: TrussBasement Construction Type: N/A Height of Basement: _____Number of Stories: 1 Height of 2nd Story: _____

Length: _____ Width: _____ Height: _____

Attic Area: _____ Size: L _____ X W _____ X H _____

UTILITY TYPES

Gas: _____ Type: _____

Gas Shut Off Valve Location: _____

Electric: _____ Phase: _____

Panel Location: Right Near on West Wall

Alarm Location: _____

EXPOSURES

North: _____ FT. West: _____ FT. South: 94 FT. East: _____Type: _____ Type: _____ Type: Shed Type: _____

SUPPRESSION CRITERIA

Needed Fire Flow: _____ Total Water Supply: _____

Fuel Load: _____ Rate of Flow: _____

HYDRANT LOCATIONS

- (1) Old Washington Rd - Pitt Flow: 500 Unit: GPM
- (2) Highway 264 & Otter Lane - BC Flow: 1000 Unit: GPM
- (3) 1202 Grimesland Budget Rd Flow: 500 Unit: GPM
- (4) _____ Flow: _____ Unit: _____

OTHER WATER RESOURCES

- (1) _____
- (2) _____
- (3) _____

SPECIAL RESOURCES

- (1) _____
- (2) _____
- (3) _____

MUTUAL AID

- (1) Pactolus Assignment: _____
- (2) Grimesland Assignment: _____
- (3) _____ Assignment: _____


STAGING AREAPrimary: Parking Area East of entrance


Secondary: _____


MISCELLANEOUS INFORMATIONSprinkler Connection: N/A

Standpipe Connection: _____

Paved Driveway All Around Structure










Address: 7874 US 264 East

Name: Triumph Baptist Church

Pre-Plan #: _____



Sept. 1944

Shells at edge

Parle
Box

Wade Weaver

Storage

Storage Room

Dining Hall

Conf. 26

astol
0/50

Valted ceiling.

Sound room

→ window


Worcester

mens

Pastor's Off.

For 26

Shelter Dwell



Address:

Triumph Church
Missionary Baptist

Pre-Plan #:

Structure Name Triumph Baptist Church
 Structure Address 7874 US 264 E.

Length	Width	Sq Ft	Sq Root	X 18	X construction type	GPM sum 1	X Occupancy	GPM sum 2
138	77	10626	103.08	1855.48	1	1855.48	0.85	###

Exposure % add	Exposure add GPM	Exposure per side (75% max) Side A	Exposure per side 75% max Side B	Exposure per side 75% max Side C	Exposure per side 75% max Side D	Total GPM with exposures
25%	394.29	0	0	0	0	1577.18
19%	299.65			0	0	
14%	220.80				0	
9%	141.94					
75%	1182.67	Total A, B, C, D				
	MAX	0				

Round off to nearest 250 GPM for flows less than 2500 GPM the nearest 500 GPM over 2500 GPM

Column F
 Fire Resistive 0.6
 Non-combustible 0.8
 Ordinary 1
 Wood Frame 1.5

Column H
 .75 If Mostly non-combustible contents
 .85 If Limited combustibles (apartments, churches, schools, hospitals)
 1.0 If Mostly combustible (restaurants, sheds, garages)
 1.15 If Free burning contents (post offices, horse stables, feed mills, repair garages, ag storage)
 1.25 If Rapid burning (aircraft hangers, tires, flammable liquids, wood working)

Total GPM with exposures	Add 50% for each floor above ground floor	# of floors above	Total to add for floors above	Sub-total with floors added	If wood shingles on roof add 500 GPM
1500.00	750	0	0.00	1500.00	0
				1500.00	1500.00

FIRE FLOW NEEDED
GPM
1500.00